

SUNRISE – PONSMACHINES



- Ponsmachine
- Ponskracht :
 - PM-35T/LT/XT 35 ton
 - PM-55T/LT/XT 55 ton
 - PM-80T/LT/XT 80 ton
 - PM-120T/LT/XT 125 ton
 - PM-160T/LT/XT 160 ton
 - PM-200T/LT/XT 200 ton
- Ponscapaciteit:
 - PM-35T/LT/XT $\varnothing 18 \times 14 / \varnothing 50 \times 5$ mm
 - PM-55T/LT/XT $\varnothing 22 \times 18 / \varnothing 50 \times 8$ mm
 - PM-80T/LT/XT $\varnothing 25 \times 23 / \varnothing 50 \times 12$ mm
 - PM-120T/LT/XT $\varnothing 32 \times 27 / \varnothing 50 \times 17$ mm
 - PM-160T/LT/XT $\varnothing 36 \times 32 / \varnothing 50 \times 23$ mm
 - PM-200T/LT/XT $\varnothing 41 \times 35 / \varnothing 50 \times 29$ mm
- Halsdiepte:
 - PM-35T/LT/XT 310 / 510 / 760 mm
 - PM-55T/LT/XT 310 / 510 / 760 mm
 - PM-80T/LT/XT 310 / 510 / 760 mm
 - PM-120T/LT/XT - / 510 / 760 mm
 - PM-160T/LT/XT - / 510 / 760 mm
 - PM-200T/LT/XT - / 510 / 760 mm



Sunrise PM-serie



Eldis NV
Tel. 057 21 75 75
Website: www.eldis.be

A. Dehemlaan 5A
Fax 057 21 72 27

8900 Ieper
Email: info@eldis.be

Kenmerken en specificaties (in mm)



Model	PM-35T PM-35LT PM-35XT	PM-55T PM-55LT PM-55XT	PM-80T PM-80LT PM-80XT
Ponsen			
Ponsdruk	35 ton	55 ton	80 ton
Pons capaciteit (diameter x dikte)	Ø18 x 14 Ø50 x 5	Ø22 x 18 Ø50 x 8	Ø25 x 23 Ø50 x 12
Groef flens ponsen (hoogte)	180	180	180
Hals diepte	T: 310 LT: 510 XT: 760	310 510 760	310 510 760
Max. slaglengte	100	100	100
Toeren/min (20 mm slag)	41	28	28
Afmetingen tafel (B x D)	T: 700 x 500 LT: 700 x 700 XT: 700 x 950	700 x 500 700 x 700 700 x 950	700 x 500 700 x 700 700 x 950
Werkhoogte	1010	1050	1050
Optioneel gereedschap			
Grootste gat*	Ø160 x 2	Ø160 x 3	Ø160 x 4
Enkelvoudige V-kantpers (L x D)*	250 x 12	250 x 15	250 x 15
Multi V-kantpers (L x D)*	500 x 3	500 x 5	500 x 5
Hoek plooiën*	102 x 6	102 x 9	102 x 13
Rechthoekige kerver (B x L x D)*	63,5 x 90 x 6	63,5 x 90 x 8	63,5 x 90 x 10
V-kerver (zijde x zijde x D)*	145 x 145 x 5	145 x 145 x 6	145 x 145 x 10
Buis kerver (Max. diameter)*	Ø114	Ø114	Ø114
Platte lat knippen*	175 x 5	175 x 7	175 x 10
Hoek knippen*	75 x 75 x 6	100 x 100 x 7	100 x 100 x 10
Ronde profiel knippen*	Ø32	Ø32	Ø32
Vierkante profiel knippen*	28 x 28	32 x 32	32 x 32
Groef knippen*	102 x 51	102 x 51	102 x 51
Andere			
Elektrisch vermogen (pK)	5	5	7,5
Netto gewicht	T: 1200 kg LT: 1500 kg XT: 1840 kg	1450 kg 1850 kg 2200 kg	1780 kg 2100 kg 2845 kg
Bruto gewicht	T: 1300 kg LT: 1640 kg XT: 2000 kg	1620 kg 2050 kg 2420 kg	1960 kg 2300 kg 3060 kg
Afmetingen machine (L x B x H)	T: 1090 x 820 x 1770 LT: 1420 x 820 x 1795 XT: 1820 x 820 x 1815	1160 x 820 x 1960 1520 x 820 x 1960 1920 x 820 x 1960	1280 x 865 x 1980 1620 x 865 x 1980 2045 x 865 x 1980
Afmetingen verpakking (L x B x H)	T: 1410 x 970 x 2010 LT: 1740 x 970 x 2035 XT: 2140 x 970 x 2055	1480 x 970 x 2200 1840 x 970 x 2200 2240 x 970 x 2200	1600 x 1015 x 2220 1940 x 1015 x 2220 2365 x 1015 x 2220

Sunrise PM-serie



Eldis NV
Tel. 057 21 75 75
Website: www.eldis.be

A. Dehemlaan 5A
Fax 057 21 72 27

8900 Ieper
Email: info@eldis.be

Model	PM-120LT PM-120XT	PM-160LT PM-160XT	PM-200LT PM-200XT
Ponsen			
Ponsdruk	120 ton	160 ton	200 ton
Pons capaciteit (diameter x dikte)	Ø32 x 27 Ø50 x 17	Ø36 x 32 Ø50 x 23	Ø41 x 35 Ø50 x 29
Groef flens ponsen (hoogte)	180	180	180
Hals diepte	LT: 510 XT: 760	510 760	510 760
Max. slaglengte	100	100	100
Toeren/min (20 mm slag)	26	27	28
Afmetingen tafel (B x D)	LT: 700 x 700 XT: 700 x 950	700 x 700 700 x 950	700 x 700 700 x 950
Werkhoogte	1010	1050	1050
Optioneel gereedschap			
Grootste gat*	Ø200 x 6	Ø200 x 8	Ø200 x 10
Enkelvoudige V-kantpers (L x D)*	250 x 20	250 x 20	250 x 20
Multi V-kantpers (L x D)*	700 x 5	700 x 5	700 x 5
Hoek plooiën*	102 x 13	102 x 13	102 x 13
Rechthoekige kerver (B x L x D)*	63,5 x 90 x 13	63,5 x 90 x 13	63,5 x 90 x 13
V-kerver (zijde x zijde x D)*	145 x 145 x 12	145 x 145 x 13	145 x 145 x 13
Buis kerver (Max. diameter)*	Ø114	Ø114	Ø114
Platte lat knippen*	175 x 14	175 x 16	175 x 16
Hoek knippen*	100 x 100 x 13	100 x 100 x 13	100 x 100 x 13
Ronde profiel knippen*	Ø32	Ø32	Ø32
Vierkante profiel knippen*	32 x 32	32 x 32	32 x 32
Groef knippen*	102 x 51	102 x 51	102 x 51
Andere			
Elektrisch vermogen (pK)	10	15	20
Netto gewicht	LT: 2840 kg XT: 3600 kg	3550 kg 4660 kg	4440 kg 5600 kg
Bruto gewicht	LT: 3080 kg XT: 3860 kg	3860 kg 5000 kg	4800 kg 5960 kg
Afmeting machine (L x B x H)	LT: 1720 x 970 x 2035 XT: 2170 x 970 x 2035	1870 x 1040 x 2070 2370 x 1040 x 2135	1975 x 1265 x 2095 2475 x 1265 x 2175
Afmeting verpakking (L x B x H)	LT: 2040 x 1120 x 2275 XT: 2490 x 1120 x 2275	2190 x 1190 x 2310 2690 x 1190 x 2375	2295 x 1415 x 2335 2795 x 1415 x 2415

Sunrise PM-serie



Eldis NV
Tel. 057 21 75 75
Website: www.eldis.be

A. Dehemaan 5A
Fax 057 21 72 27

8900 Ieper
Email: info@eldis.be